

Argatroban Rate Adjustment For Non-Cath Lab Patients With HIT

| Current Rate ml/hr | aPTT (Seconds) | | | | |
|-----------------------|-------------------------|-------|-----------|-------|--------------|
| | 33 or less | 34-39 | 40-83 | 84-96 | 97 or higher |
| | New Rate (ml/hr) | | | | |
| 0.2 | 0.3 | 0.3 | No Change | 0.2 | 0.1 |
| 0.3 | 0.5 | 0.4 | No Change | 0.2 | 0.2 |
| 0.4 | 0.6 | 0.5 | No Change | 0.3 | 0.2 |
| 0.5 | 0.8 | 0.6 | No Change | 0.4 | 0.3 |
| 0.6 | 0.9 | 0.8 | No Change | 0.5 | 0.3 |
| 0.7 | 1.1 | 0.9 | No Change | 0.5 | 0.4 |
| 0.8 | 1.2 | 1 | No Change | 0.6 | 0.4 |
| 0.9 | 1.4 | 1.1 | No Change | 0.7 | 0.5 |
| 1 | 1.5 | 1.3 | No Change | 0.8 | 0.5 |
| 1.1 | 1.7 | 1.4 | No Change | 0.8 | 0.6 |
| 1.2 | 1.8 | 1.5 | No Change | 0.9 | 0.6 |
| 1.3 | 2 | 1.6 | No Change | 1 | 0.7 |
| 1.4 | 2.1 | 1.8 | No Change | 1.1 | 0.7 |
| 1.5 | 2.3 | 1.9 | No Change | 1.1 | 0.8 |
| 1.6 | 2.4 | 2 | No Change | 1.2 | 0.8 |
| 1.7 | 2.6 | 2.1 | No Change | 1.3 | 0.9 |
| 1.8 | 2.7 | 2.3 | No Change | 1.4 | 0.9 |
| 1.9 | 2.9 | 2.4 | No Change | 1.4 | 1 |
| 2 | 3 | 2.5 | No Change | 1.5 | 1 |
| 2.1 | 3.2 | 2.6 | No Change | 1.6 | 1.1 |
| 2.2 | 3.3 | 2.8 | No Change | 1.7 | 1.1 |
| 2.3 | 3.5 | 2.9 | No Change | 1.7 | 1.2 |
| 2.4 | 3.6 | 3 | No Change | 1.8 | 1.2 |
| 2.5 | 3.8 | 3.1 | No Change | 1.9 | 1.3 |
| 2.6 | 3.9 | 3.3 | No Change | 2 | 1.3 |
| 2.7 | 4.1 | 3.4 | No Change | 2 | 1.4 |
| 2.8 | 4.2 | 3.5 | No Change | 2.1 | 1.4 |
| 2.9 | 4.4 | 3.6 | No Change | 2.2 | 1.5 |
| 3 | 4.5 | 3.8 | No Change | 2.3 | 1.5 |
| 3.1 | 4.7 | 3.9 | No Change | 2.3 | 1.6 |
| 3.2 | 4.8 | 4 | No Change | 2.4 | 1.6 |
| 3.3 | 5 | 4.1 | No Change | 2.5 | 1.7 |
| 3.4 | 5 | 4.3 | No Change | 2.6 | 1.7 |
| 3.5 | 5 | 4.4 | No Change | 2.6 | 1.8 |
| 3.6 | 5 | 4.5 | No Change | 2.7 | 1.8 |
| 3.7 | 6 | 4.6 | No Change | 2.8 | 1.9 |
| 3.8 | 6 | 4.8 | No Change | 2.9 | 1.9 |
| 3.9 | 6 | 4.9 | No Change | 2.9 | 2 |
| 4 | 6 | 5 | No Change | 3 | 2 |
| 4.1 | 6 | 5 | No Change | 3.1 | 2.1 |
| 4.2 | 6 | 5 | No Change | 3.2 | 2.1 |
| 4.3 | 6 | 5 | No Change | 3.2 | 2.2 |
| 4.4 | 7 | 6 | No Change | 3.3 | 2.2 |
| 4.5 | 7 | 6 | No Change | 3.4 | 2.3 |
| 4.6 | 7 | 6 | No Change | 3.5 | 2.3 |
| 4.7 | 7 | 6 | No Change | 3.5 | 2.4 |
| 4.8 | 7 | 6 | No Change | 3.6 | 2.4 |
| | New Rate (ml/hr) | | | | |
| Current Rate ml/hr | 33 or less | 34-39 | 40-83 | 84-96 | 97 or higher |

If aPTT is greater than 100 seconds, stop argatroban, drawn aPTT every 2 hours until aPTT is within therapeutic range, then restart argatroban at new rate.

Argatroban Rate Adjustment For Non-Cath Lab Patients With HIT

| Current Rate ml/hr | aPTT (Seconds) | | | | |
|-----------------------|-------------------------|-------|-----------|-------|--------------|
| | 33 or less | 34-39 | 40-83 | 84-96 | 97 or higher |
| | New Rate (ml/hr) | | | | |
| 4.9 | 7 | 6 | No Change | 3.7 | 2.5 |
| 5 | 8 | 6 | No Change | 3.8 | 2.5 |
| 6 | 9 | 8 | No Change | 4.5 | 3 |
| 7 | 11 | 9 | No Change | 5 | 3.5 |
| 8 | 12 | 10 | No Change | 6 | 4 |
| 9 | 14 | 11 | No Change | 7 | 4.5 |
| 10 | 15 | 13 | No Change | 8 | 5 |
| 11 | 17 | 14 | No Change | 8 | 6 |
| 12 | 18 | 15 | No Change | 9 | 6 |
| 13 | 20 | 16 | No Change | 10 | 7 |
| 14 | 21 | 18 | No Change | 11 | 7 |
| 15 | 23 | 19 | No Change | 11 | 8 |
| 16 | 24 | 20 | No Change | 12 | 8 |
| 17 | 26 | 21 | No Change | 13 | 9 |
| 18 | 27 | 23 | No Change | 14 | 9 |
| 19 | 29 | 24 | No Change | 14 | 10 |
| 20 | 30 | 25 | No Change | 15 | 10 |
| 21 | 32 | 26 | No Change | 16 | 11 |
| 22 | 33 | 28 | No Change | 17 | 11 |
| 23 | 35 | 29 | No Change | 17 | 12 |
| 24 | 36 | 30 | No Change | 18 | 12 |
| 25 | 38 | 31 | No Change | 19 | 13 |
| 26 | 39 | 33 | No Change | 20 | 13 |
| 27 | 41 | 34 | No Change | 20 | 14 |
| 28 | 42 | 35 | No Change | 21 | 14 |
| 29 | 44 | 36 | No Change | 22 | 15 |
| 30 | 45 | 38 | No Change | 23 | 15 |
| 31 | 47 | 39 | No Change | 23 | 16 |
| 32 | 48 | 40 | No Change | 24 | 16 |
| 33 | 50 | 41 | No Change | 25 | 17 |
| 34 | 51 | 43 | No Change | 26 | 17 |
| 35 | 53 | 44 | No Change | 26 | 18 |
| 36 | 54 | 45 | No Change | 27 | 18 |
| 37 | 56 | 46 | No Change | 28 | 19 |
| 38 | 57 | 48 | No Change | 29 | 19 |
| 39 | 59 | 49 | No Change | 29 | 20 |
| 40 | 60 | 50 | No Change | 30 | 20 |
| 41 | 62 | 51 | No Change | 31 | 21 |
| 42 | 63 | 53 | No Change | 32 | 21 |
| 43 | 65 | 54 | No Change | 32 | 22 |
| 44 | 66 | 55 | No Change | 33 | 22 |
| 45 | 68 | 56 | No Change | 34 | 23 |
| 46 | 69 | 58 | No Change | 35 | 23 |
| 47 | 71 | 59 | No Change | 35 | 24 |
| 48 | 72 | 60 | No Change | 36 | 24 |
| 49 | 74 | 61 | No Change | 37 | 25 |
| 50 | 75 | 63 | No Change | 38 | 25 |
| | New Rate (ml/hr) | | | | |
| Current Rate ml/hr | 33 or less | 34-39 | 40-83 | 84-96 | 97 or higher |

If aPTT is greater than 100 seconds, stop argatroban, drawn aPTT every 2 hours until aPTT is within therapeutic range, then restart argatroban at new rate

Argatroban Rate Adjustment For Non-Cath Lab Patients With HIT

| Current Rate ml/hr | aPTT (Seconds) | | | | |
|-----------------------|-------------------------|-------|-------------------------|-------|--------------|
| | 33 or less | 34-39 | 40-83 | 84-96 | 97 or higher |
| | New Rate (ml/hr) | | | | |
| 51 | 77 | 64 | No Change | 38 | 26 |
| 52 | 78 | 65 | No Change | 39 | 26 |
| 53 | 80 | 66 | No Change | 40 | 27 |
| 54 | 81 | 68 | No Change | 41 | 27 |
| 55 | 83 | 69 | No Change | 41 | 28 |
| 56 | 84 | 70 | No Change | 42 | 28 |
| 57 | 86 | 71 | No Change | 43 | 29 |
| 58 | 87 | 73 | No Change | 44 | 29 |
| 59 | 89 | 74 | No Change | 44 | 30 |
| 60 | 90 | 75 | No Change | 45 | 30 |
| 61 | 92 | 76 | No Change | 46 | 31 |
| 62 | 93 | 78 | No Change | 47 | 31 |
| 63 | 95 | 79 | No Change | 47 | 32 |
| 64 | 96 | 80 | No Change | 48 | 32 |
| 65 | 98 | 81 | No Change | 49 | 33 |
| 66 | 99 | 83 | No Change | 50 | 33 |
| 67 | 101 | 84 | No Change | 50 | 34 |
| 68 | 102 | 85 | No Change | 51 | 34 |
| 69 | 104 | 86 | No Change | 52 | 35 |
| 70 | 105 | 88 | No Change | 53 | 35 |
| 71 | 107 | 89 | No Change | 53 | 36 |
| 72 | 108 | 90 | No Change | 54 | 36 |
| 73 | 110 | 91 | No Change | 55 | 37 |
| 74 | 111 | 93 | No Change | 56 | 37 |
| 75 | 113 | 94 | No Change | 56 | 38 |
| 76 | 114 | 95 | No Change | 57 | 38 |
| 77 | 116 | 96 | No Change | 58 | 39 |
| 78 | 117 | 98 | No Change | 59 | 39 |
| 79 | 119 | 99 | No Change | 59 | 40 |
| 80 | 120 | 100 | No Change | 60 | 40 |
| 81 | 122 | 101 | No Change | 61 | 41 |
| 82 | 123 | 103 | No Change | 62 | 41 |
| 83 | 125 | 104 | No Change | 62 | 42 |
| 84 | 126 | 105 | No Change | 63 | 42 |
| 85 | 128 | 106 | No Change | 64 | 43 |
| 86 | 129 | 108 | No Change | 65 | 43 |
| 87 | 131 | 109 | No Change | 65 | 44 |
| 88 | 132 | 110 | No Change | 66 | 44 |
| 89 | 134 | 111 | No Change | 67 | 45 |
| 90 | 135 | 113 | No Change | 68 | 45 |
| 91 | 137 | 114 | No Change | 68 | 46 |
| 92 | 138 | 115 | No Change | 69 | 46 |
| 93 | 140 | 116 | No Change | 70 | 47 |
| 94 | 141 | 118 | No Change | 71 | 47 |
| 95 | 143 | 119 | No Change | 71 | 48 |
| 96 | 144 | 120 | No Change | 72 | 48 |
| 97 | 146 | 121 | No Change | 73 | 49 |
| 98 | 147 | 123 | No Change | 74 | 49 |
| 99 | 149 | 124 | No Change | 74 | 50 |
| 100 | 150 | 125 | No Change | 75 | 50 |
| | New Rate (ml/hr) | | | | |
| Current Rate ml/hr | 33 or less | 34-39 | aPTT (Seconds) 40-83 | 84-96 | 97 or higher |

If aPTT is greater than 100 seconds, stop argatroban, drawn aPTT every 2 hours until aPTT is within therapeutic range, then restart argatroban at new rate

Marshall Pierce PharmD